

Purgeable Organics by GC/MS

Lab #:	192680	Prep:	EPA 5030B
Client:	Niparaja Conservando la naturaleza	Analysis:	EPA 8260B
Project#:	STANDARD		
Field ID:	SAMPLE 1	Batch#:	122113
Lab ID:	192680-001	Sampled:	02/10/07
Matrix:	Water	Received:	02/12/07
Units:	ug/L	Analyzed:	02/14/07
Diln Fac:	1.000		

Analyte	Result	RL	MDL
Freon 12	ND	1.0	0.2
Chloromethane	ND	1.0	0.2
Vinyl Chloride	ND	0.5	0.1
Bromomethane	ND	1.0	0.2
Chloroethane	ND	1.0	0.2
Trichlorofluoromethane	ND	1.0	0.2
Acetone	1.4 J	10	1.0
Freon 113	ND	0.5	0.1
1,1-Dichloroethene	ND	0.5	0.09
Methylene Chloride	ND	10	0.2
Carbon Disulfide	0.3 J	0.5	0.05
MTBE	ND	0.5	0.05
trans-1,2-Dichloroethene	ND	0.5	0.1
Vinyl Acetate	ND	10	0.8
1,1-Dichloroethane	ND	0.5	0.05
2-Butanone	ND	10	0.4
cis-1,2-Dichloroethene	ND	0.5	0.1
2,2-Dichloropropane	ND	0.5	0.06
Chloroform	ND	0.5	0.2
Bromochloromethane	ND	0.5	0.09
1,1,1-Trichloroethane	ND	0.5	0.1
1,1-Dichloropropene	ND	0.5	0.1
Carbon Tetrachloride	ND	0.5	0.1
1,2-Dichloroethane	ND	0.5	0.09
Benzene	ND	0.5	0.3
Trichloroethene	ND	0.5	0.1
1,2-Dichloropropane	ND	0.5	0.1
Bromodichloromethane	0.3 J	0.5	0.07
Dibromomethane	ND	0.5	0.07
4-Methyl-2-Pentanone	ND	10	0.2
cis-1,3-Dichloropropene	ND	0.5	0.05
Toluene	ND	0.5	0.1
trans-1,3-Dichloropropene	ND	0.5	0.07
1,1,2-Trichloroethane	ND	0.5	0.1
2-Hexanone	ND	10	0.5
1,3-Dichloropropane	ND	0.5	0.1
Tetrachloroethene	ND	0.5	0.2
Dibromochloromethane	0.9	0.5	0.1
1,2-Dibromoethane	ND	0.5	0.1
Chlorobenzene	ND	0.5	0.2
1,1,1,2-Tetrachloroethane	ND	0.5	0.2
Ethylbenzene	ND	0.5	0.1
m,p-Xylenes	ND	0.5	0.3
o-Xylene	ND	0.5	0.2
Styrene	ND	0.5	0.09
Bromoform	2.1	1.0	0.1
Isopropylbenzene	ND	0.5	0.2
1,1,2,2-Tetrachloroethane	ND	0.5	0.1
1,2,3-Trichloropropane	ND	0.5	0.3
Propylbenzene	ND	0.5	0.2
Bromobenzene	ND	0.5	0.1
1,3,5-Trimethylbenzene	ND	0.5	0.2

J= Estimated value
 ND= Not Detected
 RL= Reporting Limit
 MDL= Method Detection Limit

Purgeable Organics by GC/MS

Lab #:	192680	Prep:	EPA 5030B
Client:	Niparaja Conservando la naturaleza	Analysis:	EPA 8260B
Project#:	STANDARD		
Field ID:	SAMPLE 1	Batch#:	122113
Lab ID:	192680-001	Sampled:	02/10/07
Matrix:	Water	Received:	02/12/07
Units:	ug/L	Analyzed:	02/14/07
Diln Fac:	1.000		

Analyte	Result	RL	MDL
2-Chlorotoluene	ND	0.5	0.2
4-Chlorotoluene	ND	0.5	0.1
tert-Butylbenzene	ND	0.5	0.2
1,2,4-Trimethylbenzene	ND	0.5	0.1
sec-Butylbenzene	ND	0.5	0.1
para-Isopropyl Toluene	ND	0.5	0.2
1,3-Dichlorobenzene	ND	0.5	0.2
1,4-Dichlorobenzene	ND	0.5	0.2
n-Butylbenzene	ND	0.5	0.1
1,2-Dichlorobenzene	ND	0.5	0.2
1,2-Dibromo-3-Chloropropane	ND	2.0	0.5
1,2,4-Trichlorobenzene	ND	0.5	0.2
Hexachlorobutadiene	ND	0.5	0.2
Naphthalene	ND	2.0	0.2
1,2,3-Trichlorobenzene	ND	0.5	0.2

Surrogate	%REC	Limits
Dibromofluoromethane	108	80-120
1,2-Dichloroethane-d4	103	80-130
Toluene-d8	102	80-120
Bromofluorobenzene	109	80-122

J= Estimated value
 ND= Not Detected
 RL= Reporting Limit
 MDL= Method Detection Limit

Purgeable Organics by GC/MS

Lab #: 192680	Prep: EPA 5030B
Client: Niparaja Conservando la naturaleza	Analysis: EPA 8260B
Project#: STANDARD	
Field ID: SAMPLE 2	Batch#: 122113
Lab ID: 192680-002	Sampled: 02/10/07
Matrix: Water	Received: 02/12/07
Units: ug/L	Analyzed: 02/14/07
Diln Fac: 1.000	

Analyte	Result	RL	MDL
Freon 12	ND	1.0	0.2
Chloromethane	ND	1.0	0.2
Vinyl Chloride	ND	0.5	0.1
Bromomethane	ND	1.0	0.2
Chloroethane	ND	1.0	0.2
Trichlorofluoromethane	ND	1.0	0.2
Acetone	2.0 J	10	1.0
Freon 113	ND	0.5	0.1
1,1-Dichloroethene	ND	0.5	0.09
Methylene Chloride	ND	10	0.2
Carbon Disulfide	0.2 J	0.5	0.05
MTBE	ND	0.5	0.05
trans-1,2-Dichloroethene	ND	0.5	0.1
Vinyl Acetate	ND	10	0.8
1,1-Dichloroethane	ND	0.5	0.05
2-Butanone	ND	10	0.4
cis-1,2-Dichloroethene	ND	0.5	0.1
2,2-Dichloropropane	ND	0.5	0.06
Chloroform	ND	0.5	0.2
Bromochloromethane	ND	0.5	0.09
1,1,1-Trichloroethane	ND	0.5	0.1
1,1-Dichloropropene	ND	0.5	0.1
Carbon Tetrachloride	ND	0.5	0.1
1,2-Dichloroethane	ND	0.5	0.09
Benzene	ND	0.5	0.3
Trichloroethene	ND	0.5	0.1
1,2-Dichloropropane	ND	0.5	0.1
Bromodichloromethane	0.2 J	0.5	0.07
Dibromomethane	ND	0.5	0.07
4-Methyl-2-Pentanone	ND	10	0.2
cis-1,3-Dichloropropene	ND	0.5	0.05
Toluene	0.2 J	0.5	0.1
trans-1,3-Dichloropropene	ND	0.5	0.07
1,1,2-Trichloroethane	ND	0.5	0.1
2-Hexanone	ND	10	0.5
1,3-Dichloropropane	ND	0.5	0.1
Tetrachloroethene	ND	0.5	0.2
Dibromochloromethane	0.7	0.5	0.1
1,2-Dibromoethane	ND	0.5	0.1
Chlorobenzene	ND	0.5	0.2
1,1,1,2-Tetrachloroethane	ND	0.5	0.2
Ethylbenzene	ND	0.5	0.1
m,p-Xylenes	ND	0.5	0.3
o-Xylene	ND	0.5	0.2
Styrene	3.0	0.5	0.09
Bromoform	1.6	1.0	0.1
Isopropylbenzene	ND	0.5	0.2
1,1,2,2-Tetrachloroethane	ND	0.5	0.1
1,2,3-Trichloropropane	ND	0.5	0.3
Propylbenzene	ND	0.5	0.2
Bromobenzene	ND	0.5	0.1
1,3,5-Trimethylbenzene	ND	0.5	0.2

J= Estimated value

ND= Not Detected

RL= Reporting Limit

MDL= Method Detection Limit

Purgeable Organics by GC/MS

Lab #:	192680	Prep:	EPA 5030B
Client:	Niparaja Conservando la naturaleza	Analysis:	EPA 8260B
Project#:	STANDARD		
Field ID:	SAMPLE 2	Batch#:	122113
Lab ID:	192680-002	Sampled:	02/10/07
Matrix:	Water	Received:	02/12/07
Units:	ug/L	Analyzed:	02/14/07
Diln Fac:	1.000		

Analyte	Result	RL	MDL
2-Chlorotoluene	ND	0.5	0.2
4-Chlorotoluene	ND	0.5	0.1
tert-Butylbenzene	ND	0.5	0.2
1,2,4-Trimethylbenzene	ND	0.5	0.1
sec-Butylbenzene	ND	0.5	0.1
para-Isopropyl Toluene	ND	0.5	0.2
1,3-Dichlorobenzene	ND	0.5	0.2
1,4-Dichlorobenzene	ND	0.5	0.2
n-Butylbenzene	ND	0.5	0.1
1,2-Dichlorobenzene	ND	0.5	0.2
1,2-Dibromo-3-Chloropropane	ND	2.0	0.5
1,2,4-Trichlorobenzene	ND	0.5	0.2
Hexachlorobutadiene	ND	0.5	0.2
Naphthalene	ND	2.0	0.2
1,2,3-Trichlorobenzene	ND	0.5	0.2

Surrogate	%REC	Limits
Dibromofluoromethane	107	80-120
1,2-Dichloroethane-d4	103	80-130
Toluene-d8	104	80-120
Bromofluorobenzene	105	80-122

J= Estimated value
 ND= Not Detected
 RL= Reporting Limit
 MDL= Method Detection Limit

Purgeable Organics by GC/MS

Lab #: 192680	Prep: EPA 5030B
Client: Niparaja Conservando la naturaleza	Analysis: EPA 8260B
Project#: STANDARD	
Field ID: SAMPLE 3	Units: ug/L
Lab ID: 192680-003	Sampled: 02/10/07
Matrix: Water	Received: 02/12/07

Analyte	Result	RL	MDL	Diln Fac	Batch#	Analyzed
Freon 12	ND	1.0	0.2	1.000	122113	02/14/07
Chloromethane	ND	1.0	0.2	1.000	122113	02/14/07
Vinyl Chloride	ND	0.5	0.1	1.000	122113	02/14/07
Bromomethane	ND	1.0	0.2	1.000	122113	02/14/07
Chloroethane	ND	1.0	0.2	1.000	122113	02/14/07
Trichlorofluoromethane	ND	1.0	0.2	1.000	122113	02/14/07
Acetone	120	20	0.9	2.000	122166	02/15/07
Freon 113	ND	0.5	0.1	1.000	122113	02/14/07
1,1-Dichloroethene	ND	0.5	0.09	1.000	122113	02/14/07
Methylene Chloride	ND	10	0.2	1.000	122113	02/14/07
Carbon Disulfide	0.2 J	0.5	0.05	1.000	122113	02/14/07
MTBE	ND	0.5	0.05	1.000	122113	02/14/07
trans-1,2-Dichloroethene	ND	0.5	0.1	1.000	122113	02/14/07
Vinyl Acetate	ND	10	0.8	1.000	122113	02/14/07
1,1-Dichloroethane	ND	0.5	0.05	1.000	122113	02/14/07
2-Butanone	4.3 J	10	0.4	1.000	122113	02/14/07
cis-1,2-Dichloroethene	ND	0.5	0.1	1.000	122113	02/14/07
2,2-Dichloropropane	ND	0.5	0.06	1.000	122113	02/14/07
Chloroform	ND	0.5	0.2	1.000	122113	02/14/07
Bromochloromethane	ND	0.5	0.09	1.000	122113	02/14/07
1,1,1-Trichloroethane	ND	0.5	0.1	1.000	122113	02/14/07
1,1-Dichloropropene	ND	0.5	0.1	1.000	122113	02/14/07
Carbon Tetrachloride	ND	0.5	0.1	1.000	122113	02/14/07
1,2-Dichloroethane	ND	0.5	0.09	1.000	122113	02/14/07
Benzene	ND	0.5	0.3	1.000	122113	02/14/07
Trichloroethene	ND	0.5	0.1	1.000	122113	02/14/07
1,2-Dichloropropane	ND	0.5	0.1	1.000	122113	02/14/07
Bromodichloromethane	0.2 J	0.5	0.07	1.000	122113	02/14/07
Dibromomethane	ND	0.5	0.07	1.000	122113	02/14/07
4-Methyl-2-Pentanone	ND	10	0.2	1.000	122113	02/14/07
cis-1,3-Dichloropropene	ND	0.5	0.05	1.000	122113	02/14/07
Toluene	0.2 J	0.5	0.1	1.000	122113	02/14/07
trans-1,3-Dichloropropene	ND	0.5	0.07	1.000	122113	02/14/07
1,1,2-Trichloroethane	ND	0.5	0.1	1.000	122113	02/14/07
2-Hexanone	ND	10	0.5	1.000	122113	02/14/07
1,3-Dichloropropane	ND	0.5	0.1	1.000	122113	02/14/07
Tetrachloroethene	ND	0.5	0.2	1.000	122113	02/14/07

J= Estimated value

ND= Not Detected

RL= Reporting Limit

MDL= Method Detection Limit

Purgeable Organics by GC/MS

Lab #: 192680	Prep: EPA 5030B
Client: Niparaja Conservando la naturaleza	Analysis: EPA 8260B
Project#: STANDARD	
Field ID: SAMPLE 3	Units: ug/L
Lab ID: 192680-003	Sampled: 02/10/07
Matrix: Water	Received: 02/12/07

Analyte	Result	RL	MDL	Diln Fac	Batch#	Analyzed
Dibromochloromethane	0.4 J	0.5	0.1	1.000	122113	02/14/07
1,2-Dibromoethane	ND	0.5	0.1	1.000	122113	02/14/07
Chlorobenzene	ND	0.5	0.2	1.000	122113	02/14/07
1,1,1,2-Tetrachloroethane	ND	0.5	0.2	1.000	122113	02/14/07
Ethylbenzene	ND	0.5	0.1	1.000	122113	02/14/07
m,p-Xylenes	ND	0.5	0.3	1.000	122113	02/14/07
o-Xylene	ND	0.5	0.2	1.000	122113	02/14/07
Styrene	3.4	0.5	0.09	1.000	122113	02/14/07
Bromoform	0.9 J	1.0	0.1	1.000	122113	02/14/07
Isopropylbenzene	ND	0.5	0.2	1.000	122113	02/14/07
1,1,2,2-Tetrachloroethane	ND	0.5	0.1	1.000	122113	02/14/07
1,2,3-Trichloropropane	ND	0.5	0.3	1.000	122113	02/14/07
Propylbenzene	ND	0.5	0.2	1.000	122113	02/14/07
Bromobenzene	ND	0.5	0.1	1.000	122113	02/14/07
1,3,5-Trimethylbenzene	ND	0.5	0.2	1.000	122113	02/14/07
2-Chlorotoluene	ND	0.5	0.2	1.000	122113	02/14/07
4-Chlorotoluene	ND	0.5	0.1	1.000	122113	02/14/07
tert-Butylbenzene	ND	0.5	0.2	1.000	122113	02/14/07
1,2,4-Trimethylbenzene	ND	0.5	0.1	1.000	122113	02/14/07
sec-Butylbenzene	ND	0.5	0.1	1.000	122113	02/14/07
para-Isopropyl Toluene	ND	0.5	0.2	1.000	122113	02/14/07
1,3-Dichlorobenzene	ND	0.5	0.2	1.000	122113	02/14/07
1,4-Dichlorobenzene	ND	0.5	0.2	1.000	122113	02/14/07
n-Butylbenzene	ND	0.5	0.1	1.000	122113	02/14/07
1,2-Dichlorobenzene	ND	0.5	0.2	1.000	122113	02/14/07
1,2-Dibromo-3-Chloropropane	ND	2.0	0.5	1.000	122113	02/14/07
1,2,4-Trichlorobenzene	ND	0.5	0.2	1.000	122113	02/14/07
Hexachlorobutadiene	ND	0.5	0.2	1.000	122113	02/14/07
Naphthalene	ND	2.0	0.2	1.000	122113	02/14/07
1,2,3-Trichlorobenzene	ND	0.5	0.2	1.000	122113	02/14/07

Surrogate	%REC	Limits	Diln Fac	Batch#	Analyzed
Dibromofluoromethane	107	80-120	1.000	122113	02/14/07
1,2-Dichloroethane-d4	103	80-130	1.000	122113	02/14/07
Toluene-d8	101	80-120	1.000	122113	02/14/07
Bromofluorobenzene	106	80-122	1.000	122113	02/14/07

J= Estimated value

ND= Not Detected

RL= Reporting Limit

MDL= Method Detection Limit

Purgeable Organics by GC/MS

Lab #: 192680	Prep: EPA 5030B
Client: Niparaja Conservando la naturaleza	Analysis: EPA 8260B
Project#: STANDARD	
Field ID: SAMPLE 4	Batch#: 122113
Lab ID: 192680-004	Sampled: 02/10/07
Matrix: Water	Received: 02/12/07
Units: ug/L	Analyzed: 02/14/07
Diln Fac: 1.000	

Analyte	Result	RL	MDL
Freon 12	ND	1.0	0.2
Chloromethane	ND	1.0	0.2
Vinyl Chloride	ND	0.5	0.1
Bromomethane	ND	1.0	0.2
Chloroethane	ND	1.0	0.2
Trichlorofluoromethane	ND	1.0	0.2
Acetone	55	10	1.0
Freon 113	ND	0.5	0.1
1,1-Dichloroethene	ND	0.5	0.09
Methylene Chloride	ND	10	0.2
Carbon Disulfide	0.2 J	0.5	0.05
MTBE	ND	0.5	0.05
trans-1,2-Dichloroethene	ND	0.5	0.1
Vinyl Acetate	ND	10	0.8
1,1-Dichloroethane	ND	0.5	0.05
2-Butanone	2.7 J	10	0.4
cis-1,2-Dichloroethene	ND	0.5	0.1
2,2-Dichloropropane	ND	0.5	0.06
Chloroform	ND	0.5	0.2
Bromochloromethane	ND	0.5	0.09
1,1,1-Trichloroethane	ND	0.5	0.1
1,1-Dichloropropene	ND	0.5	0.1
Carbon Tetrachloride	ND	0.5	0.1
1,2-Dichloroethane	ND	0.5	0.09
Benzene	ND	0.5	0.3
Trichloroethene	ND	0.5	0.1
1,2-Dichloropropane	ND	0.5	0.1
Bromodichloromethane	0.1 J	0.5	0.07
Dibromomethane	ND	0.5	0.07
4-Methyl-2-Pentanone	ND	10	0.2
cis-1,3-Dichloropropene	ND	0.5	0.05
Toluene	ND	0.5	0.1
trans-1,3-Dichloropropene	ND	0.5	0.07
1,1,2-Trichloroethane	ND	0.5	0.1
2-Hexanone	ND	10	0.5
1,3-Dichloropropane	ND	0.5	0.1
Tetrachloroethene	ND	0.5	0.2
Dibromochloromethane	0.3 J	0.5	0.1
1,2-Dibromoethane	ND	0.5	0.1
Chlorobenzene	ND	0.5	0.2
1,1,1,2-Tetrachloroethane	ND	0.5	0.2
Ethylbenzene	ND	0.5	0.1
m,p-Xylenes	ND	0.5	0.3
o-Xylene	ND	0.5	0.2
Styrene	0.4 J	0.5	0.09
Bromoform	0.8 J	1.0	0.1
Isopropylbenzene	ND	0.5	0.2
1,1,2,2-Tetrachloroethane	ND	0.5	0.1
1,2,3-Trichloropropane	ND	0.5	0.3
Propylbenzene	ND	0.5	0.2
Bromobenzene	ND	0.5	0.1
1,3,5-Trimethylbenzene	ND	0.5	0.2

J= Estimated value
 ND= Not Detected
 RL= Reporting Limit
 MDL= Method Detection Limit

Purgeable Organics by GC/MS

Lab #:	192680	Prep:	EPA 5030B
Client:	Niparaja Conservando la naturaleza	Analysis:	EPA 8260B
Project#:	STANDARD		
Field ID:	SAMPLE 4	Batch#:	122113
Lab ID:	192680-004	Sampled:	02/10/07
Matrix:	Water	Received:	02/12/07
Units:	ug/L	Analyzed:	02/14/07
Diln Fac:	1.000		

Analyte	Result	RL	MDL
2-Chlorotoluene	ND	0.5	0.2
4-Chlorotoluene	ND	0.5	0.1
tert-Butylbenzene	ND	0.5	0.2
1,2,4-Trimethylbenzene	ND	0.5	0.1
sec-Butylbenzene	ND	0.5	0.1
para-Isopropyl Toluene	ND	0.5	0.2
1,3-Dichlorobenzene	ND	0.5	0.2
1,4-Dichlorobenzene	ND	0.5	0.2
n-Butylbenzene	ND	0.5	0.1
1,2-Dichlorobenzene	ND	0.5	0.2
1,2-Dibromo-3-Chloropropane	ND	2.0	0.5
1,2,4-Trichlorobenzene	ND	0.5	0.2
Hexachlorobutadiene	ND	0.5	0.2
Naphthalene	ND	2.0	0.2
1,2,3-Trichlorobenzene	ND	0.5	0.2

Surrogate	%REC	Limits
Dibromofluoromethane	107	80-120
1,2-Dichloroethane-d4	105	80-130
Toluene-d8	103	80-120
Bromofluorobenzene	108	80-122

J= Estimated value
 ND= Not Detected
 RL= Reporting Limit
 MDL= Method Detection Limit

Batch QC Report

Purgeable Organics by GC/MS			
Lab #:	192680	Prep:	EPA 5030B
Client:	Niparaja Conservando la naturaleza	Analysis:	EPA 8260B
Project#:	STANDARD		
Type:	LCS	Diln Fac:	1.000
Lab ID:	QC375192	Batch#:	122113
Matrix:	Water	Analyzed:	02/14/07
Units:	ug/L		

Analyte	Spiked	Result	%REC	Limits
1,1-Dichloroethene	25.00	29.03	116	77-128
Benzene	25.00	27.46	110	80-120
Trichloroethene	25.00	27.94	112	80-120
Toluene	25.00	27.45	110	80-120
Chlorobenzene	25.00	26.44	106	80-120

Surrogate	%REC	Limits
Dibromofluoromethane	104	80-120
1,2-Dichloroethane-d4	102	80-130
Toluene-d8	102	80-120
Bromofluorobenzene	100	80-122

Batch QC Report

Purgeable Organics by GC/MS			
Lab #:	192680	Prep:	EPA 5030B
Client:	Niparaja Conservando la naturaleza	Analysis:	EPA 8260B
Project#:	STANDARD		
Type:	BLANK	Diln Fac:	1.000
Lab ID:	QC375193	Batch#:	122113
Matrix:	Water	Analyzed:	02/14/07
Units:	ug/L		

Analyte	Result	RL	MDL
Freon 12	ND	1.0	0.2
Chloromethane	ND	1.0	0.2
Vinyl Chloride	ND	0.5	0.1
Bromomethane	ND	1.0	0.2
Chloroethane	ND	1.0	0.2
Trichlorofluoromethane	ND	1.0	0.2
Acetone	ND	10	1.0
Freon 113	ND	0.5	0.1
1,1-Dichloroethene	ND	0.5	0.09
Methylene Chloride	ND	10	0.2
Carbon Disulfide	ND	0.5	0.05
MTBE	ND	0.5	0.05
trans-1,2-Dichloroethene	ND	0.5	0.1
Vinyl Acetate	ND	10	0.8
1,1-Dichloroethane	ND	0.5	0.05
2-Butanone	ND	10	0.4
cis-1,2-Dichloroethene	ND	0.5	0.1
2,2-Dichloropropane	ND	0.5	0.06
Chloroform	ND	0.5	0.2
Bromochloromethane	ND	0.5	0.09
1,1,1-Trichloroethane	ND	0.5	0.1
1,1-Dichloropropene	ND	0.5	0.1
Carbon Tetrachloride	ND	0.5	0.1
1,2-Dichloroethane	ND	0.5	0.09
Benzene	ND	0.5	0.3
Trichloroethene	ND	0.5	0.1
1,2-Dichloropropane	ND	0.5	0.1
Bromodichloromethane	ND	0.5	0.07
Dibromomethane	ND	0.5	0.07
4-Methyl-2-Pentanone	ND	10	0.2
cis-1,3-Dichloropropene	ND	0.5	0.05
Toluene	ND	0.5	0.1
trans-1,3-Dichloropropene	ND	0.5	0.07
1,1,2-Trichloroethane	ND	0.5	0.1
2-Hexanone	ND	10	0.5
1,3-Dichloropropane	ND	0.5	0.1
Tetrachloroethene	ND	0.5	0.2
Dibromochloromethane	ND	0.5	0.1
1,2-Dibromoethane	ND	0.5	0.1
Chlorobenzene	ND	0.5	0.2
1,1,1,2-Tetrachloroethane	ND	0.5	0.2
Ethylbenzene	ND	0.5	0.1
m,p-Xylenes	ND	0.5	0.3
o-Xylene	ND	0.5	0.2
Styrene	ND	0.5	0.09
Bromoform	0.2 J	1.0	0.1
Isopropylbenzene	ND	0.5	0.2
1,1,2,2-Tetrachloroethane	ND	0.5	0.1
1,2,3-Trichloropropane	ND	0.5	0.3
Propylbenzene	ND	0.5	0.2
Bromobenzene	ND	0.5	0.1
1,3,5-Trimethylbenzene	ND	0.5	0.2

J= Estimated value
 ND= Not Detected
 RL= Reporting Limit
 MDL= Method Detection Limit

Batch QC Report

Purgeable Organics by GC/MS

Lab #:	192680	Prep:	EPA 5030B
Client:	Niparaja Conservando la naturaleza	Analysis:	EPA 8260B
Project#:	STANDARD		
Type:	BLANK	Diln Fac:	1.000
Lab ID:	QC375193	Batch#:	122113
Matrix:	Water	Analyzed:	02/14/07
Units:	ug/L		

Analyte	Result	RL	MDL
2-Chlorotoluene	ND	0.5	0.2
4-Chlorotoluene	ND	0.5	0.1
tert-Butylbenzene	ND	0.5	0.2
1,2,4-Trimethylbenzene	ND	0.5	0.1
sec-Butylbenzene	ND	0.5	0.1
para-Isopropyl Toluene	ND	0.5	0.2
1,3-Dichlorobenzene	ND	0.5	0.2
1,4-Dichlorobenzene	ND	0.5	0.2
n-Butylbenzene	ND	0.5	0.1
1,2-Dichlorobenzene	ND	0.5	0.2
1,2-Dibromo-3-Chloropropane	ND	2.0	0.5
1,2,4-Trichlorobenzene	ND	0.5	0.2
Hexachlorobutadiene	ND	0.5	0.2
Naphthalene	0.5 J	2.0	0.2
1,2,3-Trichlorobenzene	ND	0.5	0.2

Surrogate	%REC	Limits
Dibromofluoromethane	106	80-120
1,2-Dichloroethane-d4	104	80-130
Toluene-d8	101	80-120
Bromofluorobenzene	109	80-122

J= Estimated value
 ND= Not Detected
 RL= Reporting Limit
 MDL= Method Detection Limit

Batch QC Report

Purgeable Organics by GC/MS			
Lab #:	192680	Prep:	EPA 5030B
Client:	Niparaja Conservando la naturaleza	Analysis:	EPA 8260B
Project#:	STANDARD		
Field ID:	ZZZZZZZZZZ	Batch#:	122113
MSS Lab ID:	192661-001	Sampled:	02/08/07
Matrix:	Water	Received:	02/09/07
Units:	ug/L	Analyzed:	02/14/07
Diln Fac:	1.000		

Type: MS Lab ID: QC375194

Analyte	MSS Result	Spiked	Result	%REC	Limits
1,1-Dichloroethene	<0.09386	25.00	27.40	110	77-129
Benzene	<0.2500	25.00	27.09	108	80-122
Trichloroethene	<0.1151	25.00	27.17	109	77-123
Toluene	<0.1338	25.00	26.99	108	80-120
Chlorobenzene	<0.1569	25.00	25.90	104	80-120

Surrogate	%REC	Limits
Dibromofluoromethane	102	80-120
1,2-Dichloroethane-d4	102	80-130
Toluene-d8	102	80-120
Bromofluorobenzene	103	80-122

Type: MSD Lab ID: QC375195

Analyte	Spiked	Result	%REC	Limits	RPD	Lim
1,1-Dichloroethene	25.00	28.62	114	77-129	4	20
Benzene	25.00	28.44	114	80-122	5	20
Trichloroethene	25.00	28.04	112	77-123	3	20
Toluene	25.00	27.90	112	80-120	3	20
Chlorobenzene	25.00	27.58	110	80-120	6	20

Surrogate	%REC	Limits
Dibromofluoromethane	102	80-120
1,2-Dichloroethane-d4	99	80-130
Toluene-d8	101	80-120
Bromofluorobenzene	100	80-122

RPD= Relative Percent Difference

Batch QC Report

Purgeable Organics by GC/MS			
Lab #:	192680	Prep:	EPA 5030B
Client:	Niparaja Conservando la naturaleza	Analysis:	EPA 8260B
Project#:	STANDARD		
Type:	BLANK	Diln Fac:	1.000
Lab ID:	QC375239	Batch#:	122113
Matrix:	Water	Analyzed:	02/14/07
Units:	ug/L		

Analyte	Result	RL	MDL
Freon 12	ND	1.0	0.2
Chloromethane	ND	1.0	0.2
Vinyl Chloride	ND	0.5	0.1
Bromomethane	ND	1.0	0.2
Chloroethane	ND	1.0	0.2
Trichlorofluoromethane	ND	1.0	0.2
Acetone	ND	10	1.0
Freon 113	ND	0.5	0.1
1,1-Dichloroethene	ND	0.5	0.09
Methylene Chloride	ND	10	0.2
Carbon Disulfide	ND	0.5	0.05
MTBE	ND	0.5	0.05
trans-1,2-Dichloroethene	ND	0.5	0.1
Vinyl Acetate	ND	10	0.8
1,1-Dichloroethane	ND	0.5	0.05
2-Butanone	ND	10	0.4
cis-1,2-Dichloroethene	ND	0.5	0.1
2,2-Dichloropropane	ND	0.5	0.06
Chloroform	ND	0.5	0.2
Bromochloromethane	ND	0.5	0.09
1,1,1-Trichloroethane	ND	0.5	0.1
1,1-Dichloropropene	ND	0.5	0.1
Carbon Tetrachloride	ND	0.5	0.1
1,2-Dichloroethane	ND	0.5	0.09
Benzene	ND	0.5	0.3
Trichloroethene	ND	0.5	0.1
1,2-Dichloropropane	ND	0.5	0.1
Bromodichloromethane	ND	0.5	0.07
Dibromomethane	ND	0.5	0.07
4-Methyl-2-Pentanone	ND	10	0.2
cis-1,3-Dichloropropene	ND	0.5	0.05
Toluene	ND	0.5	0.1
trans-1,3-Dichloropropene	ND	0.5	0.07
1,1,2-Trichloroethane	ND	0.5	0.1
2-Hexanone	ND	10	0.5
1,3-Dichloropropane	ND	0.5	0.1
Tetrachloroethene	ND	0.5	0.2
Dibromochloromethane	ND	0.5	0.1
1,2-Dibromoethane	ND	0.5	0.1
Chlorobenzene	ND	0.5	0.2
1,1,1,2-Tetrachloroethane	ND	0.5	0.2
Ethylbenzene	ND	0.5	0.1
m,p-Xylenes	ND	0.5	0.3
o-Xylene	ND	0.5	0.2
Styrene	ND	0.5	0.09
Bromoform	0.1 J	1.0	0.1
Isopropylbenzene	ND	0.5	0.2
1,1,2,2-Tetrachloroethane	ND	0.5	0.1
1,2,3-Trichloropropane	ND	0.5	0.3
Propylbenzene	ND	0.5	0.2
Bromobenzene	ND	0.5	0.1
1,3,5-Trimethylbenzene	ND	0.5	0.2

J= Estimated value
 ND= Not Detected
 RL= Reporting Limit
 MDL= Method Detection Limit

Batch QC Report

Purgeable Organics by GC/MS			
Lab #:	192680	Prep:	EPA 5030B
Client:	Niparaja Conservando la naturaleza	Analysis:	EPA 8260B
Project#:	STANDARD		
Type:	BLANK	Diln Fac:	1.000
Lab ID:	QC375239	Batch#:	122113
Matrix:	Water	Analyzed:	02/14/07
Units:	ug/L		

Analyte	Result	RL	MDL
2-Chlorotoluene	ND	0.5	0.2
4-Chlorotoluene	ND	0.5	0.1
tert-Butylbenzene	ND	0.5	0.2
1,2,4-Trimethylbenzene	ND	0.5	0.1
sec-Butylbenzene	ND	0.5	0.1
para-Isopropyl Toluene	ND	0.5	0.2
1,3-Dichlorobenzene	ND	0.5	0.2
1,4-Dichlorobenzene	ND	0.5	0.2
n-Butylbenzene	0.1 J	0.5	0.1
1,2-Dichlorobenzene	ND	0.5	0.2
1,2-Dibromo-3-Chloropropane	ND	2.0	0.5
1,2,4-Trichlorobenzene	0.2 J	0.5	0.2
Hexachlorobutadiene	ND	0.5	0.2
Naphthalene	0.5 J	2.0	0.2
1,2,3-Trichlorobenzene	0.3 J	0.5	0.2

Surrogate	%REC	Limits
Dibromofluoromethane	102	80-120
1,2-Dichloroethane-d4	102	80-130
Toluene-d8	102	80-120
Bromofluorobenzene	107	80-122

J= Estimated value
 ND= Not Detected
 RL= Reporting Limit
 MDL= Method Detection Limit

Batch QC Report

Purgeable Organics by GC/MS			
Lab #:	192680	Prep:	EPA 5030B
Client:	Niparaja Conservando la naturaleza	Analysis:	EPA 8260B
Project#:	STANDARD		
Matrix:	Water	Batch#:	122166
Units:	ug/L	Analyzed:	02/15/07
Diln Fac:	1.000		

Type: BS Lab ID: QC375387

Analyte	Spiked	Result	%REC	Limits
1,1-Dichloroethene	25.00	29.62	118	77-128
Benzene	25.00	27.90	112	80-120
Trichloroethene	25.00	28.23	113	80-120
Toluene	25.00	28.53	114	80-120
Chlorobenzene	25.00	26.34	105	80-120

Surrogate	%REC	Limits
Dibromofluoromethane	101	80-120
1,2-Dichloroethane-d4	101	80-130
Toluene-d8	104	80-120
Bromofluorobenzene	100	80-122

Type: BSD Lab ID: QC375388

Analyte	Spiked	Result	%REC	Limits	RPD	Lim
1,1-Dichloroethene	25.00	28.96	116	77-128	2	20
Benzene	25.00	28.17	113	80-120	1	20
Trichloroethene	25.00	28.30	113	80-120	0	20
Toluene	25.00	29.04	116	80-120	2	20
Chlorobenzene	25.00	26.69	107	80-120	1	20

Surrogate	%REC	Limits
Dibromofluoromethane	103	80-120
1,2-Dichloroethane-d4	102	80-130
Toluene-d8	106	80-120
Bromofluorobenzene	102	80-122

RPD= Relative Percent Difference

Batch QC Report

Purgeable Organics by GC/MS			
Lab #:	192680	Prep:	EPA 5030B
Client:	Niparaja Conservando la naturaleza	Analysis:	EPA 8260B
Project#:	STANDARD		
Type:	BLANK	Diln Fac:	1.000
Lab ID:	QC375389	Batch#:	122166
Matrix:	Water	Analyzed:	02/15/07
Units:	ug/L		

Analyte	Result	RL	MDL
Freon 12	ND	1.0	0.07
Chloromethane	ND	1.0	0.2
Vinyl Chloride	ND	0.5	0.1
Bromomethane	ND	1.0	0.4
Chloroethane	ND	1.0	0.2
Trichlorofluoromethane	ND	1.0	0.1
Acetone	0.6 J	10	0.4
Freon 113	ND	0.5	0.2
1,1-Dichloroethene	ND	0.5	0.09
Methylene Chloride	ND	10	0.2
Carbon Disulfide	ND	0.5	0.09
MTBE	ND	0.5	0.05
trans-1,2-Dichloroethene	ND	0.5	0.1
Vinyl Acetate	ND	10	0.2
1,1-Dichloroethane	ND	0.5	0.02
2-Butanone	ND	10	0.3
cis-1,2-Dichloroethene	ND	0.5	0.07
2,2-Dichloropropane	ND	0.5	0.2
Chloroform	ND	0.5	0.1
Bromochloromethane	ND	0.5	0.1
1,1,1-Trichloroethane	ND	0.5	0.1
1,1-Dichloropropene	ND	0.5	0.07
Carbon Tetrachloride	ND	0.5	0.2
1,2-Dichloroethane	ND	0.5	0.07
Benzene	ND	0.5	0.08
Trichloroethene	ND	0.5	0.08
1,2-Dichloropropane	ND	0.5	0.1
Bromodichloromethane	ND	0.5	0.09
Dibromomethane	ND	0.5	0.08
4-Methyl-2-Pentanone	ND	10	0.1
cis-1,3-Dichloropropene	ND	0.5	0.05
Toluene	ND	0.5	0.1
trans-1,3-Dichloropropene	ND	0.5	0.07
1,1,2-Trichloroethane	ND	0.5	0.07
2-Hexanone	ND	10	0.08
1,3-Dichloropropane	ND	0.5	0.06
Tetrachloroethene	ND	0.5	0.09
Dibromochloromethane	ND	0.5	0.07
1,2-Dibromoethane	ND	0.5	0.1
Chlorobenzene	ND	0.5	0.06
1,1,1,2-Tetrachloroethane	ND	0.5	0.1
Ethylbenzene	ND	0.5	0.07
m,p-Xylenes	ND	0.5	0.2
o-Xylene	ND	0.5	0.1
Styrene	ND	0.5	0.08
Bromoform	ND	1.0	0.2
Isopropylbenzene	ND	0.5	0.07
1,1,2,2-Tetrachloroethane	ND	0.5	0.1
1,2,3-Trichloropropane	ND	0.5	0.1
Propylbenzene	0.1 J	0.5	0.09
Bromobenzene	ND	0.5	0.08

J= Estimated value

b= See narrative

ND= Not Detected

RL= Reporting Limit

MDL= Method Detection Limit

Batch QC Report

Purgeable Organics by GC/MS			
Lab #:	192680	Prep:	EPA 5030B
Client:	Niparaja Conservando la naturaleza	Analysis:	EPA 8260B
Project#:	STANDARD		
Type:	BLANK	Diln Fac:	1.000
Lab ID:	QC375389	Batch#:	122166
Matrix:	Water	Analyzed:	02/15/07
Units:	ug/L		

Analyte	Result	RL	MDL
1,3,5-Trimethylbenzene	ND	0.5	0.1
2-Chlorotoluene	ND	0.5	0.1
4-Chlorotoluene	ND	0.5	0.1
tert-Butylbenzene	ND	0.5	0.1
1,2,4-Trimethylbenzene	0.1 J	0.5	0.1
sec-Butylbenzene	ND	0.5	0.1
para-Isopropyl Toluene	0.1 J	0.5	0.07
1,3-Dichlorobenzene	0.1 J	0.5	0.07
1,4-Dichlorobenzene	ND	0.5	0.1
n-Butylbenzene	0.1 J	0.5	0.1
1,2-Dichlorobenzene	ND	0.5	0.1
1,2-Dibromo-3-Chloropropane	ND	2.0	0.2
1,2,4-Trichlorobenzene	0.3 J	0.5	0.1
Hexachlorobutadiene	ND	0.5	0.1
Naphthalene	1.1 J	2.0	0.09
1,2,3-Trichlorobenzene	0.6 b	0.5	0.03

Surrogate	%REC	Limits
Dibromofluoromethane	105	80-120
1,2-Dichloroethane-d4	108	80-130
Toluene-d8	111	80-120
Bromofluorobenzene	106	80-122

J= Estimated value
 b= See narrative
 ND= Not Detected
 RL= Reporting Limit
 MDL= Method Detection Limit